

WEAK FORM OF PERIDYNAMICS FOR NONLOCAL ESSENTIAL AND NATURAL BOUNDARY CONDITIONS

Erdogan Madenci^{1*}, Mehmet Dorduncu², Atila Barut³ and Nam Phan⁴

¹University of Arizona, Tucson, AZ, 85721, USA, madenci@email.arizona.edu

²University of Arizona, Tucson, AZ, 85721, USA, dorduncu@email.arizona.edu

³University of Arizona, Tucson, AZ, 85721, USA, atila@email.arizona.edu

⁴NAVAIR, Patuxent, MD, 20670, USA, nam.phan@navy.mil

Key Words: *Peridynamic, Weak form, Nonlocal, Essential, Natural, Variational, Derivatives*

This study presents the weak form of peridynamic (PD) governing equations which permit the direct imposition of nonlocal essential and natural boundary conditions. It also presents a variational approach to derive the PD form of first- and second-order derivatives of a field variable at a point which is not symmetrically located in its domain of interaction. This capability enables the nonlocal PD representation of the internal force vector and the stress components without any calibration procedure. Furthermore, it removes the concern of truncated domain of interaction for a point near the surface. Thus, the solution is free of nonlocal boundary forces and surface effects. The numerical solution of the resulting equations can be achieved by considering an unstructured nonuniform discretization. The implicit solution to the discrete form of the equations is achieved by employing BiConjugate Gradient Stabilized (BICGSTAB) method which is an iterative technique for solving sparse non-symmetric linear systems. The explicit analysis is performed by constructing a global diagonal mass matrix, and using a hybrid implicit/explicit time integration scheme. The accuracy of this approach is demonstrated by considering an elastic isotropic plate with or without a cutout subjected to a combination of different types of boundary conditions under plane stress conditions.